HOST

Multideck Refrigerator

Instruction manual

Model:

HOST1105MR



Read this instruction manual carefully before use

Safety Instructions

- Position on a flat, stable surface.
- A service agent/qualified technician should carry out installation and any repairs if required. Do not remove any components or service panels on this product.
- Consult Local and National Standards to comply with the following:
  - Health and Safety at Work Legislation
  - BS EN Codes of Practice
  - Fire Precautions
  - IEE Wiring Regulations
  - Building Regulations
- DO NOT use jet/pressure washers to clean the appliance.
- DO NOT use the appliance outside.
- DO NOT use this appliance to store medical supplies.
- DO NOT allow oil or fat to come into contact with the plastic components or door seal. Clean immediately if contact occurs.
- DO NOT store products on top of the appliance.
- Bottles that contain a high percentage of alcohol must be sealed and placed vertically in the refrigerator.
- Always carry, store and handle the appliance in a vertical position and move by holding the base of the appliance.
- Always switch off and disconnect the power supply to the unit before cleaning.
- Keep all packaging away from children. Dispose of the packaging in accordance with the regulations of local authorities.
- If the power cord is damaged, it must be replaced by a recommended qualified technician in order to avoid a hazard.
- Children should be supervised to ensure that they do not play with the appliance.

HOST1105MR_EN_A5_v1_20220817.indb 2 2022/8/17 10:48

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience or knowledge, unless they have been given supervision or instruction concerning the use of the appliance by a person responsible for their safety.
- HOST recommend that this appliance should be periodically tested (at least annually) by a Competent Person. Testing should include, but not be limited to: Visual Inspection, Polarity Test, Earth Continuity, Insulation Continuity and Functional Testing.
- HOST recommend that this product is connected to a circuit protected by an appropriate RCD (Residual Current Device).

Caution Risk of Fire 

- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.

Warning: Keep all ventilation openings clear of obstruction. Unit should not be boxed in without adequate ventilation.

- **Warning:** Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- **Warning:** Do not damage the refrigerant circuit.
- **Warning:** Do not use electrical appliances inside the food storage compartments of the appliance.

Installation

Note:
Not for use in vans or trailers, food trucks or similar vehicles.
If the unit has not been stored or moved in an upright position, let it stand upright for approximately 12 hours before operation. If in doubt allow to stand.

Ventilation

- Locate the appliance in a dry place.
- Protect against direct exposure to sunlight and sources of heat or draughts including air currents such as radiators, fans, air conditioning units and doors, etc.
- Install the appliance in a place with good natural ventilation to increase ventilation properties.

HOST1105MR_EN_A5_v1_20220817.indb 3 2022/8/17 10:48

- Multidecks generate a considerable amount of heat and, if operated in a small unventilated room will quickly cause the room temperature to become excessive. This could cause the motor to overheat and possibly damage the compressor. At the very least, such an installation will cause the unit to use an excessive amount of electricity.
- Poor ventilation / excessive heat can cause the multideck to produce excessive condensation.

1. Remove the appliance from the packaging. Make sure that all protective plastic film and coatings are thoroughly removed from all surfaces.
2. To optimize performance and longevity, ensure a minimum clearance of 2.5cm is maintained between the unit and walls and other objects, with a minimum 20cm clearance on the top. **NEVER LOCATE NEXT TO A HEAT SOURCE.**

Note: Before using the appliance for the first time, clean the shelves and interior with soapy water.

3. Set the brakes on the castors to keep the appliance in position.

Operation

Control Panel



- Plug the mains lead in to the socket and switch on, then turn on product using the mains switch (this will light up).
- When the refrigeration system is operating the left hand LED will be lit, when it reaches temperature and turns off the LED will go out.

Digital Temperature Controller Operation

1. Press **SET** button. The set temperature is displayed.
2. Press ▲ or ▼ button to modify and store the displayed value.
3. Press **SET** button to exit the adjustment and within 10 seconds, the Multideck temperature will be displayed.

Lighting

To turn on the display light press 💡 button. To turn off press 💡 again.

Manual Defrost

Press 💡 button and hold for 6 seconds to start or stop the defrost process.

Cleaning, Care & Maintenance

1. Before cleaning always disconnect the Multideck Refrigerator from the electricity supply.
2. Clean using either warm soapy water, or a suitable antibacterial cleaning agent, dry thoroughly before reconnecting the electricity supply.
3. Do not use abrasive or corrosive cleaning agents.

Condensation will form in refrigeration with frequent opening of the doors and on hot humid days, please ensure condensation is allowed to drain properly or is wiped dry.

Cleaning the Condenser

Your HOST Multideck Refrigerator will benefit from having the condenser cleaned at regular intervals, a qualified technician will be able to carry this out for you.

This unit is fitted with a condensate heater, however if ambient humidity rises above 75%, it may be necessary to direct the drain line (located at the rear) to a suitable drain outlet or tray.

HOST1105MR_EN_A5_v1_20220817.indb 4 2022/8/17 10:48

Troubleshooting

A qualified technician must carry out repairs if required.

Fault	Probable Cause	Solution
The appliance is not working	The unit is not switched on	Check the unit is plugged in correctly and switched on
	Plug or lead is damaged	Replace plug or lead
	Fuse in the plug has blown	Replace the fuse
	Mains power supply fault	Check mains power supply
Poor refrigeration performance	High ambient temperature	Ventilate room or area around Multideck
	Poor ventilation	Increase air flow around Multideck
	Too much food in the Showcase is preventing cold air circulating	Take out some food
	Condenser need to be cleaned	Consult a qualified technician
	Multideck is not level	Adjust position to level
Showcase is noisy when turned on	Multideck is too close to a wall or other object	Move position
Error code EE4	• Restricted Airflow • Blocked Condenser	• Increase airflow • Consult a qualified technician

Service

Should your appliance have a fault, please visit the Service section of the HOST website.

Technical Specifications

Model	Voltage	Power	Current	Capacity (Litres)	Refrigerant	Dimensions (H x W x D) (mm)
HOST1105MR	220-240V~ 50Hz	1300W	6.7A	220	R290 (143g)	1742 x 494 x 674

Weight (kg)	Operating Temperature Range	Default Temperature Setting	Defrost Interval Default Setting
96	2-12°C	2°C	6 hours

Due to our continuing program of research and development, the specifications herein are subject to change without notice.

HOST1105MR_EN_A5_v1_20220817.indb 5 2022/8/17 10:48

Optimal Storage temperature for food storage:	6°C
Impact of temperature settings on food waste:	This appliance shall be operated in its designated operating range to reduce food waste from spoilage
Ordering spares parts:	To order spare parts, please visit the link below: www.host-appliances.com Then type the relative item code and Spares
Minimum period of spares parts to be available:	Door handles, door hinges, knobs, dials and buttons, door gaskets, peripheral trays, baskets and racks for storage, as appropriate to the appliance, will be made available to both end users and professional users for a minimum of eight years after the last unit of the model is placed on the market. A broader selection of parts will also be made available to Professional users for this period
To find the model information on the product:	The location of the model No. is on the plate on the interior right-hand wall (and on the rear) of the appliance

Electrical Wiring

The appliance is supplied with a 3 pin BS1363 plug and lead.

The plug is to be connected to a suitable mains socket.

The appliance is wired as follows:

- Live wire (coloured brown) to terminal marked L
- Neutral wire (coloured blue) to terminal marked N
- Earth wire (coloured green/yellow) to terminal marked E



This appliance must be earthed.

If in doubt consult a qualified electrician.

Electrical isolation points must be kept clear of any obstructions. In the event of any emergency disconnection being required they must be readily accessible.

Compliance

The WEEE logo on this product or its documentation indicates that the product must not be disposed of as household waste. To help prevent possible harm to human health and/or the environment, the product must be disposed of in an approved and environmentally safe recycling process. For further information on how to dispose of this product correctly, contact the product supplier, or the local authority responsible for waste disposal in your area.



HOST parts have undergone strict product testing in order to comply with regulatory standards and specifications set by international, independent, and federal authorities.

All rights reserved. No part of these instructions may be produced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of HOST.
Every effort is made to ensure all details are correct at the time of going to press, however, HOST reserve the right to change specifications without notice.

HOST1105MR_EN_A5_v1_20220817.indb 6 2022/8/17 10:48

HOST UKCA Declaration of Conformity

We {Host} of {Host House, Newhouse Farm Industrial Estate, Mathern, Chepstow, NP16 6UP} hereby declare that the equipment is in conformity with the requirements of the following Regulations:

- Supply of Machinery (Safety) Regulations 2008
- Electromagnetic Compatibility Regulations 2016
- The Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012
- Ecodesign for Energy-related Products Regulations 2010 (as amended)

We hereby declare that:
Equipment Model number HOST1105MR Multideck Display Fridge - 494mm

is in conformity with the applicable requirements of the following documents

Ref. No.	Edition/date
BS EN 60335-1	2012 +A11:2014 +A13:2017 +A1:2019 +A14:2019 +A2:2019
BS EN 60335-2-89	2010 +A1:2016 +A2:2017
BS EN 62233	2008
BS EN IEC 61000-6-3	2021
BS EN IEC 61000-6-1	2019

I hereby declare that the equipment named above has been designed to comply with the relevant sections of the above referenced specifications and is in accordance with the requirements of the Regulations:

Signed by: DocuSigned by: 866FAAB7CD48499...

Full Name Jess Attree
Title: General Manager
Location: Chepstow, Great Britain
Date: 10th August 2022

www.host-appliances.com

HOST1105MR_EN_A5_v1_2022/08/17

HOST1105MR_EN_A5_v1_20220817.indb 8 2022/8/17 10:48